



Management Service



Ajit Testing Laboratory

(An ISO : 9001-2000 Certified Lab.)

(Chemical Testing of Metal, Industrial Products
Building Materials, Raw Materials & Water)

173, Tilak Path, Infort of Malhar Ashram School, Indore (M.P.)
Phone : (O) 0731-2422301, (R) 4062873, Mob. : 99260-14126
E-mail : ajit_testinglab@yahoo.com

TEST - CERTIFICATE

Issued to:
THE SARKAR INTERNATIONAL,
82, Bima Nagar, E-302 Anand Bazar,
INDORE.

TC NO. : 235/1
DATE : 15.06.2009

Page 1 of 1

DESCRIPTION OF SAMPLE :

1. Nature of sample	3G-AQUA CARTRIDGE
2. Sample ID No.	SARKAR-1
3. Yours Ref. No./Date	nm
4. Sample received on	13.06.2009
5. Qty. of sample	1No.

CHEMICAL ANALYSIS :

S.NO.	ELEMENTS TESTED	RESULTS OBSERVED		REMOVAL %	DESIRABLE LIMITS (As per IS:10500-1991)
		Influent water before passing through 3G-Aqua (in ppm)	Effluent water after passing through 3G-Aqua (in ppm)		(min)ppm
1.	Free Chlorine, Cl	2.00	0.10	96	0.02

Remark : It is observed that 3G Aqua cartridge reduces the above heavy metals upto ND level.
ND - Not Detectable.

(Authorised Signatory)

(Checked by)

- Note :
1. Samples were not drawn by us unless & until it was mentioned.
 2. The remaining samples if required should be collected within seven working day from the date of Test report, otherwise we will not be responsible for its self preserves.
 3. This Test report is for the sample submitted by the party.
 4. This report in full or part may not be reproduced, published or used for any legal action without permission.



Industrial Testing & Analytical Laboratories
Cargo Surveys & Analysis




Italab Private Limited
INDUSTRIAL TESTING & ANALYTICAL LABORATORIES
AN ISO 9001:2000 CERTIFIED ORGANISATION

Regd. Off. : Mahal House, 15, Cowaji Patel Street, Fort, Mumbai-400001, (India)
Tel. : 022 2287 3882 2287 3667 2287 2545 2202 2515 Fax : 022 2287 4096
e-mail : italabmum@imtl.net.in / italabmum@vsnl.net Web : www.italabs.com

PC/W/00385-Dt.26.08.09

- Sample Not Drawn By ITALAB

PARTICULARS OF SAMPLE SUBMITTED

a. Name of the Party : **M/s Jainin Sales.,
Mumbai - 99**

b. Nature of Sample : **Water
Lt.Dt.03.08.09**

c. Reference No. :

d. Date of Receipt : **13.08.09** Job No. : **W. 12**
Abt. 1 Nos. Master No. : **40435**

e. Quantity :

CERTIFICATE OF ANALYSIS

Marks : - Before Filtration

Iron	as Fe	...	11 mg/lit
Silica	as SiO ₂	...	0.68 mg/lit
Fluoride	as F	...	0.01 mg/lit

For Italab Private Limited
P. M. K. K.
Authorised Signatory

Accurate Impartial and Reliable Services

All work is carried out to the best of our ability, however without any responsibility on our part and without affecting in any way the contractual rights of our Principals, our report is limited to the test samples identified herein. This report is strictly confidential. Its use for publicity, arbitration or as evidence in legal disputes is strictly forbidden.



Industrial Testing & Analytical Laboratories
Cargo Surveys & Analysis




Italab Private Limited
INDUSTRIAL TESTING & ANALYTICAL LABORATORIES
AN ISO 9001:2000 CERTIFIED ORGANISATION

Regd. Off. : Mahal House, 15, Cowaji Patel Street, Fort, Mumbai-400001, (India)
Tel. : 022 2287 3882 2287 3667 2287 2545 2202 2515 Fax : 022 2287 4096
e-mail : italabmum@imtl.net.in / italabmum@vsnl.net Web : www.italabs.com

PC/W/00386-Dt.26.08.09

- Sample Not Drawn By ITALAB

PARTICULARS OF SAMPLE SUBMITTED

a. Name of the Party : **M/s Jainin Sales.,
Mumbai - 99**

b. Nature of Sample : **Water
Lt.Dt.03.08.09**

c. Reference No. :

d. Date of Receipt : **13.08.09** Job No. : **W. 13**
Abt. 1 Nos. Master No. : **40435**

e. Quantity :

CERTIFICATE OF ANALYSIS

Marks : - After Filtration

Iron	as Fe	...	8 mg/lit
Silica	as SiO ₂	...	0.4 mg/lit
Fluoride	as F	...	<0.01 mg/lit

For Italab Private Limited
P. M. K. K.
Authorised Signatory

Accurate Impartial and Reliable Services

All work is carried out to the best of our ability, however without any responsibility on our part and without affecting in any way the contractual rights of our Principals, our report is limited to the test samples identified herein. This report is strictly confidential. Its use for publicity, arbitration or as evidence in legal disputes is strictly forbidden.



Management Service



Ajit Testing Laboratory

(An ISO : 9001-2000 Certified Lab.)

(Chemical Testing of Metal, Industrial Products
Building Materials, Raw Materials & Water)

173, Tilak Path, Infront of Malhar Ashram School, Indore (M.P.)

Phone : (O) 0731-2422301, (R) 4062873, Mob. : 99260-14126

E-mail : ajit_testinglab@yahoo.com

TEST - CERTIFICATE

Issued to:
THE SARKAR INTERNATIONAL,
82, Bima Nagar, E-302 Anand Bazar,
INDORE.

TC NO. : 256/1
DATE : 02.07.2009

Page 1 of 1

DESCRIPTION OF SAMPLE :

1. Nature of sample	3G-AQUA+ CARTRIDGE
2. Sample ID No.	SARKAR-2
3. Yours Ref. No./Date	nm
4. Sample received on	29.06.2009
5. Qty. of sample	1No.

CHEMICAL ANALYSIS :

S.NO.	ELEMENTS TESTED	RESULTS OBSERVED		REMOVAL %	DESIRABLE LIMITS (As per IS:10500-1991) (max)ppm
		Influent water before passing through 3G-Aqua+ (in ppm)	Effluent water after passing through 3G-Aqua+ (in ppm)		
1.	Silica, SiO ₂	0.005	N.D	100	0.001
2.	Iron, Fe	0.75	N.D	100	0.3
3.	Fluoride, F	1.0	N.D.	100	1.0
4.	Alumina, Al ₂ O ₃	0.05	N.D.	100	0.03
5.	Arsenic, As	0.05	N.D.	100	0.05
6.	Manganese, Mn	0.3	N.D.	100	0.10
7.	Hydrogen sulphide, H ₂ S	1.0	N.D.	100	0.05
8.	Sulphate, SO ₄	100	5.0	95	200
9.	Nitrate, NO ₃	25	1.25	95	45
10.	Calcium, as CaSO ₄	20	1.0	95	--
11.	Calcium, as CaS	20	1.0	95	--
12.	Coliform Bacteria, per 100ml sample	10	N.D	100	absent
13.	E.Coil per 100ml sample	90	9.0	90	10

Remark : It is observed that 3G Aqua cartridge reduces the above upto ND level.

ND - Not Detectable.

(Authorised Signatory)

(Checked by)

Note : 1. Samples were not drawn by us unless it is mentioned.

2. The remaining samples if required should be collected within seven working day from the date of Test report, otherwise we will not be responsible for its self preserves.

3. This Test report is for the sample submitted by the party.

4. This report in full or part may not be reproduced, published or used for any legal action without permission.



Laboratory

Format No.: SHE/TR/04

SHE LABORATORY

Head Office : No.13/2, 1st Main Road, Near Fire Station,
Industrial Town, Rajajinagar, Bangalore-560010

Ph:(080)23156630, Fax : (080)23156630, E-mail:shelab@rediffmail.com



Test Report

Water Quality Analysis Report

Name of the Client	M/s Eco Green Solution Systems Pvt. Ltd.		
Address	1st Floor, Swastik Complex, Seshadripuram, Bangalore-560 020		
Particulars	Untreated Water Quality Analysis		
Report No.	SHE/ECO/W-011/09-09		
Date of Sampling	04-09-09	Report date	06-09-09
Sample Particulars	Untreated Water (Chaya Lodge) sample received.		

#	Parameters	Results	Standards BIS: 10500-1991	Protocol
8.	Fluoride as F, mg/l	1.17	1.0-1.5	APHA
9.	Calcium as Ca, mg/l	232.0	75.0-200.0	APHA
10.	Magnesium as Mg, mg/l	64.1	30.0-100.0	APHA
11.	Chloride as Cl, mg/l	506.7	250.0	APHA
12.	Sulphates as SO ₄ , mg/l	172.3	200.0	APHA
13.	Nitrates as NO ₃ , mg/l	353.0	45.0	APHA
14.	Iron as Fe, mg/l	0.009	0.3-1.0	IS: 3025(P53)



Note :

1. The results refer only to the tested samples & applicable parameters
2. This report not to be reproduced wholly or in part & cannot be used as an evidence in the Court of Law & should not be used in any advertising media without our special permission in writing.
3. Sample(S) not drawn by us unless otherwise stated.
4. Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.

For SHE Laboratory

Jeene Nayak

Authorised Signatory



Laboratory

Format No.: SHE/TR/04

SHE LABORATORY

Head Office : No.13/2, 1st Main Road, Near Fire Station,
Industrial Town, Rajajinagar, Bangalore-560010
Ph:(080)23156630, Fax : (080)23156630, E-mail:sheLab@rediffmail.com



Test Report

Water Quality Analysis Report

Name of the Client	M/s Eco Green Solution Systems Pvt. Ltd.		
Address	1st Floor, Swastik Complex, Seshadripuram, Bangalore-560 020		
Particulars	Treated Water Quality Analysis		
Report No.	SHE/ECO/W-010/09-09		
Date of Sampling	04-09-09	Report date	06-09-09
Sample Particulars	One Treated Water (Chaya Lodge) sample received.		

#	Parameters	Results	Standards BIS: 10500-1991	Protocol
1.	Fluoride as F, mg/l	1.3	1.0-1.5	APHA
2.	Calcium as Ca, mg/l	249.6	75.0-200.0	APHA
3.	Magnesium as Mg, mg/l	72.0	30.0-100.0	APHA
4.	Chloride as Cl, mg/l	499.0	250.0	APHA
5.	Sulphates as SO ₄ , mg/l	161.2	200.0	APHA
6.	Nitrates as NO ₃ , mg/l	339.5	45.0	APHA
7.	Iron as Fe, mg/l	0.014	0.3-1.0	IS: 3025(P53)



Note :

1. The results refer only to the tested samples & applicable parameters
2. This report not to be reproduced wholly or in part & cannot be used as an evidence in the Court of Law & should not be used in any advertising media without our special permission in writing.
3. Sample(S) not drawn by us unless otherwise stated.
4. Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.

For SHE Laboratory

Jene Nayab

Authorised Signatory



Analytical
Testing
Laboratory
And
Surveyors

34/A, Khadak Street
55, K.J. Building
Near Snow White Hotel
Masjid Bunder
Mumbai - 400 009

IAS-ANZ



Quality
Endorsed
Company
ISO 9001 Lic.No.3820

Name And Address of Sender
M/s. JAIMIN SALES
Shree Sai Ram Niwas, Bamanwada,
Opp. Sarvodaya Co-op. Hsg. Soc., Cigarate Factory Lane,
Andheri (E), Mumbai 400 099.

Report No. SI/4342
Date of Receipt 18/09/09
Date of Analysis 22/09/09
Name of Sample WATER - 3G-AQUA+CARTRIDGE

CERTIFICATE OF ANALYSIS

S.No	ELEMENTS TESTED	RESULTS OBSERVED		REMOVAL	DESIRABLE LIMITS
		Influent water before passing through 3G-Aqua+ (in ppm)	Effluent water after passing through 3G-Aqua+ (in ppm)	%	(As per IS:10500-1991) (Max/ppm)
1	Silica, SiO ₂	0.008	0.002	75	0.001
2	Iron, Fe	0.021	0.013	38	0.3
3	Fluoride, F	0.22	0.14	36	1.0
4	Alumina, Al ₂ O ₃	0.03	N.D.	100	0.03
5	Arsenic, As	0.02	N.D.	100	0.05
6	Manganese, Mn	2	N.D.	100	0.10
7	Hydrogen sulphide, H ₂ S	0.07	N.D.	100	0.05
8	Sulphate, SO ₄	10.5	2.0	81	200
9	Nitrate, NO ₃	2	1	50	45
10	Calcium, as CaSO ₄	25	4	84	75
11	Calcium, as CaS	23	4	83	-
12	Total Coliforms MPN/100ml	Nil	Nil	-	absent
13	E.coli per MPN/100ml	Nil	Nil	-	10

OPINION : IT IS OBSERVED THAT 3G-AQUA+CARTRIDGE REDUCES THE ABOVE ELEMENTS.

[Handwritten Signature]
Signature of person incharge of testing.

ISO 9001:2000 Certified Company

Tel.: Lab Dept.:(91-22) 2345 4483 / 6631 3160 Survey Dept.:6637 6525/26/27 Fax: (91-22) 2345 4482 E-mail: contact@labinspection.com Website: www.labinspection.com



Management Service



Ajit Testing Laboratory

(An ISO : 9001-2000 Certified Lab.)

(Chemical Testing of Metal, Industrial Products
Building Materials, Raw Materials & Water)

173, Tilak Path, Infort of Malhar Ashram School, Indore (M.P.)

Phone : (O) 0731-2422301, (R) 4062873, Mob. : 99260-14126

E-mail : ajit_testinglab@yahoo.com

TEST - CERTIFICATE

Issued to:
THE SARKAR INTERNATIONAL,
82, Bima Nagar, E-302 Anand Bazar,
INDORE.

TC NO. : 235/5
DATE : 15.06.2009

Page 1 of 1

DESCRIPTION OF SAMPLE :

1. Nature of sample	3G-AQUA CARTRIDGE
2. Sample ID No.	SARKAR-1
3. Yours Ref. No./Date	nm
4. Sample received on	13.06.2009
5. Qty. of sample	1No.

CHEMICAL ANALYSIS :

S.NO.	ELEMENTS TESTED	RESULTS OBSERVED		REMOVAL %	DESIRABLE LIMITS (As per IS:10500-1991) (max)ppm
		Influent water before passing through 3G-Aqua (in ppm)	Effluent water after passing through 3G-Aqua (in ppm)		
HEAVY METALS:					
1.	Mercury, Hg	0.005	Not detected	100	0.001
2.	Iron, Fe	0.75	Not detected	100	0.3
3.	Lead, Pb	1.0	Not detected	100	0.05

Remark : It is observed that 3G Aqua cartridge reduces the above heavy metals upto ND level.
ND - Not Detectable.

(Authorised Signatory)

(Checked by)

- Note :
1. Samples were not drawn by us unless & until it was mentioned.
 2. The remaining samples if required should be collected within seven working day from the date of Test report, otherwise we will not be responsible for its self preserves.
 3. This Test report is for the sample submitted by the party.
 4. This report in full or part may not be reproduced, published or used for any legal action without permission.



Management Service



Ajit Testing Laboratory

(An ISO : 9001-2000 Certified Lab.)

(Chemical Testing of Metal, Industrial Products
Building Materials, Raw Materials & Water)

173, Tilak Path, Infront of Malhar Ashram School, Indore (M.P.)
Phone : (O) 0731-2422301, (R) 4062873, Mob. : 98260-14126
E-mail : ajit_testinglab@yahoo.com

TEST - CERTIFICATE

Issued to:
THE SARKAR INTERNATIONAL,
82, Bima Nagar, E-302 Anand Bazar,
INDORE.

TC NO. : 243/1
DATE : 25.06.2009

Page 1 of 1

DESCRIPTION OF SAMPLE :

1. Nature of sample	3G-AQUA CARTRIDGE
2. Sample ID No.	SARKAR-1
3. Yours Ref. No./Date	nm
4. Sample received on	19.06.2009
5. Qty. of sample	1 No.

CHEMICAL ANALYSIS :

S.NO.	ELEMENTS TESTED	RESULTS OBSERVED		REMOVAL %	DESIRABLE LIMITS (As per IS:10500-1991) (max)ppm
		Influent water before passing through 3G-Aqua (in ppm)	Effluent water after passing through 3G-Aqua (in ppm)		
1.	Silica, SiO ₂	0.005	N.D	100	0.001
2.	Iron, Fe	0.75	N.D	100	0.3
3.	Fluoride, F	1.0	N.D.	100	1.0
4.	Aluminum, Al	0.05	N.D.	100	0.03
5.	Arsenic, As	0.05	N.D.	100	0.05
6.	Hydrogen sulphide, H ₂ S	1.0	N.D.	100	0.05
7.	Sulphate, SO ₄	100	5.0	95	200
8.	Nitrate, NO ₃	25	1.25	95	45
9.	Calcium, as CaSO ₄	20	2.0	90	--
10.	Calcium, as CaS	20	2.0	90	--
11.	Coliform Bacteria, per 100ml sample	10	N.D	100	absent
12.	E.Coil per-100ml sample	147	14.7	90	10

Remark : It is observed that 3G Aqua cartridge reduces the above upto ND level.
ND - Not Detectable.

(Authorised Signatory)

(Checked by)

Note : 1. Samples were not drawn by us unless & until it was mentioned

2. The remaining samples if required should be collected within seven working day from the date of Test report, otherwise we will not be responsible for its self preserves

3. This Test report is for the sample submitted by the party.

4. This report in full or part may not be reproduced, published or used for any legal action without permission